


URBANE TILE & STONE

Plot No.4, Shivam Estate,
Rafaleshwar Road,
At. Jodhpur (Nadi),
Morbi - 363 641. Gujarat. INDIA.

Contact: +91 75679 25522

e-mail: export@urbane.global
web: www.urbane.global



URBANE
TILE + STONE

LIVE THE
LIFE OF
WOOD



WOOD
PLANK
200x1000mm
WOODEN TILES



FOREVER WOOD. FOREVER MEMORIES.

LIVE THE WOOD LIFE
It has been around you forever, in the melody of the sparrow, in the sweetness
of the berries, in the bliss of your swing and in the comfort of the shade. Those
memories may have been lost to time.
Wood, however, continues to endure. The eternal nature of wood inspires
Real Wood Floors to gift those memories back to you.

WOODPLANK

200 x 1000 mm
WOODEN TILES



THE HARMONY OF NATURAL HARMONIES.

A beauty and feel created
through the very high-definition
reproduction of carefully
selected woods, with an infinite
variety of patterns and colours.



WOODPLANK
200 x 1000 mm
WOODEN TILES



URBANE
TILE + STONE

LIVING | BATHROOMS | KITCHEN | OUTDOOR | HEAVY TRAFFIC

tiles shown: 5001

- Wood Surface
- Grout Recommended
- High Definition Printing
- Random Design

Unrectified

Rectified

WOODPLANK
200 x 1000 mm
WOODEN TILES

tiles shown: 5002





tiles shown: 5003



- Wood Surface
- Grout Recommended
- High Definition Printing
- Random Design



tiles shown: 5004

WOODPLANK
200 x 1000 mm
WOODEN TILES

URBANE
TILE + STONE

URBANE

TILE + STONE

- Wood Surface
- Grout Recommended
- High Definition Printing
- Random Design

WOODPLANK

200 x 1000 mm
WOODEN TILES



tiles shown: 5005



tiles shown: 5006





tiles shown: 5007

- Wood Surface
- Grout Recommended
- High Definition Printing
- Random Design

URBANE
TILE + STONE

WOODPLANK
200 x 1000 mm
WOODEN TILES



tiles shown: 5008



tiles shown: 5010

URBANE
TILE + STONE

WOODPLANK
200 x 1000 mm
WOODEN TILES

- Wood Surface
- Grout Recommended
- High Definition Printing
- Random Design



tiles shown: D6 - 15231



tiles shown: D6 - 15232

URBANE
TILE + STONE



- Wood Surface
- Grout Recommended
- High Definition Printing
- Random Design

WOODPLANK
200 x 1000 mm
WOODEN TILES

tiles shown: D6 - 15233





tiles shown: D6 - 15234



- Wood Surface
- Grout Recommended
- High Definition Printing
- Random Design



tiles shown: D6 - 15235

WOODPLANK
200 x 1000 mm
WOODEN TILES

URBANE
TILE + STONE

URBANE

TILE + STONE

- Wood Surface
- Grout Recommended
- High Definition Printing
- Random Design

WOODPLANK

200 x 1000 mm
WOODEN TILES



tiles shown: D6 - 15238



tiles shown: D6 - 15239

LIVING | BATHROOMS | KITCHEN | OUTDOOR | HEAVY TRAFFIC



tiles shown: D6 - 15240

- Wood Surface
- Grout Recommended
- High Definition Printing
- Random Design

URBANE
TILE + STONE

WOODPLANK
200 x 1000 mm
WOODEN TILES

LIVING | BATHROOM | KITCHEN | OUTDOOR | HEAVY TRAFFIC



tiles shown: D6 - 15242



URBANE
TILE + STONE

WOODPLANK

200 x 1000 mm
WOODEN TILES

- Wood Surface
- Grout Recommended
- High Definition Printing
- Random Design





tiles shown: D6 - 15246

URBANE
TILE + STONE



- Wood Surface
- Grout Recommended
- High Definition Printing
- Random Design

WOODPLANK
200 x 1000 mm
WOODEN TILES

tiles shown: D6 - 15247





tiles shown: D6 - 15248



- Wood Surface
- Grout Recommended
- High Definition Printing
- Random Design



tiles shown: D6 - 16243

WOODPLANK
200 x 1000 mm
WOODEN TILES

URBANE
TILE + STONE

URBANE

TILE + STONE

- Wood Surface
- Grout Recommended
- High Definition Printing
- Random Design

tiles shown: D6 - 16244



WOODPLANK

200 x 1000 mm
WOODEN TILES

tiles shown: H - 653031





URBANE
TILE + STONE

WOODPLANK
200 x 1000 mm
WOODEN TILES

LIVING | BATHROOM | KITCHEN | OUTDOOR | HEAVY TRAFFIC





titles shown: H - 653034

URBANE
TILE + STONE

WOODPLANK

200 x 1000 mm
WOODEN TILES

- Wood Surface
- Grout Recommended
- High Definition Printing
- Random Design



titles shown: D6 - 15249

LIVING | BATHROOMS | KITCHEN | OUTDOOR | HEAVY TRAFFIC



tiles shown: Margilos, Margilos White, Margilos Grey

URBANE
TILE + STONE



- Wood Surface
- Grout Recommended
- High Definition Printing
- Random Design

WOODPLANK
200 x 1000 mm
WOODEN TILES

tiles shown: D6 - 15250



WOODPLANK

200 x 1000 mm
WOODEN TILES



5001



5002



5003



5004



5005



5006

- Wood Surface
- Grout Recommended
- High Definition Printing
- Random Design



33

34



5007



5008



5010



D6 - 15231



D6 - 15232



D6 - 15233

URBANE
TILE + STONE

URBANE
TILE + STONE

WOODPLANK

200 x 1000 mm
WOODEN TILES



D6 - 15234



D6 - 15235



D6 - 15238



D6 - 15239



D6 - 15240



D6 - 15242

- Wood Surface
- Grout Recommended
- High Definition Printing
- Random Design



D6 - 15243



D6 - 15245



D6 - 15246



D6 - 15247



D6 - 15248



D6 - 16243

URBANE
TILE + STONE

URBANE
TILE + STONE

WOODPLANK
200 x 1000 mm
WOODEN TILES




D6-15249



D6-15250



MARGLOS



MARGLOS GREY



MARGLOS WHITE

- Wood Surface
- Grout Recommended
- High Definition Printing
- Random Design




D6 - 16244



H - 653031



H - 653032



H - 653033



H - 653034

URBANE
TILE + STONE

URBANE
TILE + STONE



BESEEMING OF INNOVATIVE WOOD.

Surround yourself with warm colours and natural materials, where style and well-being meet.

LIVING BATHROOM KITCHEN OUTDOOR HEAVY TRAFFIC

WOODPLANK
200 x 1000 mm
WOODEN TILES

URBANE
TILE + STONE



tiles shown: R1 - 42301

URBANE
TILE + STONE

LIVING | BATHROOMS | KITCHEN | OUTDOOR | HEAVY TRAFFIC

- Wood Surface
- Grout Recommended
- High Definition Printing
- Random Design

WOODPLANK
200 x 1000 mm
WOODEN TILES

tiles shown: R1 - 42302





tiles shown: R1 - 42304



- Wood Surface
- Grout Recommended
- High Definition Printing
- Random Design



R1 - 42301



R1 - 42308



R1 - 42302



R1 - 42304



THE CONSCIENCE OF REAL WOOD.

wooden surfaces designed for the new contemporary lifestyle.
Living in spaces we have made our own, that express our own style.



WOODPLANK

200 x 1000 mm
WOODEN TILES

URBANE
TILE + STONE



titles shown: JK - 915441

URBANE
TILE + STONE

LIVING | BATHROOMS | KITCHEN | OUTDOOR | HEAVY TRAFFIC

- Wood Surface
- Grout Recommended
- High Definition Printing
- Random Design

WOODPLANK
200 x 1000 mm
WOODEN TILES

titles shown: JK - 915442





tiles shown: JK - 915443

- Wood Surface
- Grout Recommended
- High Definition Printing
- Random Design



tiles shown: JK - 915444

WOODPLANK
200 x 1000 mm
WOODEN TILES

URBANE
TILE + STONE

URBANE
TILE + STONE

tiles shown: JK - 915445



WOODPLANK

200 x 1000 mm
WOODEN TILES

- Wood Surface
- Grout Recommended
- High Definition Printing
- Random Design

tiles shown: JK - 915446



- Wood Surface
- Grout Recommended
- High Definition Printing
- Random Design



tiles shown: JK - 915447



LIVING BATHROOM KITCHEN OUTDOOR HEAVY TRAFFIC



tiles shown: JK - 915448

WOODPLANK
200 x 1000 mm
WOODEN TILES



JK - 915441



JK - 915442



JK - 915443



JK - 915444



JK - 915445



JK - 915446

- Wood Surface
- Grout Recommended
- High Definition Printing
- Random Design



JK - 915447



JK - 915448

**TOTALLY
NATURAL,
AUTHENTIC
FEELING.**

A floor that welcomes you,
allowing you to live wooden life
in complete freedom,
with all the people you want.

LIVING BATHROOM KITCHEN INTERIOR HEAVY TRAFFIC



WOODPLANK
200 x 1000 mm
WOODEN TILES

URBANE
TILE + STONE



tiles shown: T1 - 465401

URBANE
TILE + STONE



- Wood Surface
- Grout Recommended
- High Definition Printing
- Random Design

WOODPLANK
200 x 1000 mm
WOODEN TILES

tiles shown: T2 - 465402





tiles shown: T3 - 465403



- Wood Surface
- Grout Recommended
- High Definition Printing
- Random Design



tiles shown: T4 - 465404

WOODPLANK
200 x 1000 mm
WOODEN TILES

URBANE
TILE + STONE

tiles shown: T5 - 465445



WOODPLANK
200 x 1000 mm
WOODEN TILES

- Wood Surface
- Grout Recommended
- High Definition Printing
- Random Design



tiles shown: T6 - 465406



- Wood Surface
- Grout Recommended
- High Definition Printing
- Random Design



WOODPLANK
200 x 1000 mm
WOODEN TILES

LIVING | BATHROOM | KITCHEN | OUTDOOR | HEAVY TRAFFIC



WOODPLANK

200 x 1000 mm
WOODEN TILES



T1 - 465401



T2 - 465402



T3 - 465403



T4 - 465404



T5 - 465445



T6 - 465406

- Wood Surface
- Grout Recommended
- High Definition Printing
- Random Design



T8 - 8001



T8 - 8002



URBANE
TILE + STONE



- Wood Surface
- Grout Recommended
- High Definition Printing
- Random Design

WOODPLANK
200 x 1000 mm
WOODEN TILES

tiles shown: S7 - 20155





tiles shown: ST - 20156

- Wood Surface
- Grout Recommended
- High Definition Printing
- Random Design



tiles shown: ST - 20157

WOODPLANK
200 x 1000 mm
WOODEN TILES

URBANE
TILE + STONE

tiles shown: S7 - 20158



WOODPLANK
200 x 1000 mm
WOODEN TILES

- Wood Surface
- Grout Recommended
- High Definition Printing
- Random Design

tiles shown: S7 - 20159



WOODPLANK
200 x 1000 mm
WOODEN TILES

- Wood Surface
- Grout Recommended
- High Definition Printing
- Random Design



EMPERADOR GOLD



S7 - 20155



S7 - 20156



S7 - 20157



S7 - 20158



S7 - 20159

URBANE
TILE + STONE

URBANE
TILE + STONE



tiles shown: QL - 1224951

URBANE
TILE + STONE



- Wood Surface
- Grout Recommended
- High Definition Printing
- Random Design

WOODPLANK
200 x 1000 mm
WOODEN TILES

tiles shown: QL - 1224952





tiles shown: QL - 1224953

WOODPLANK
200 x 1000 mm
WOODEN TILES

LIVING | BATHROOMS | KITCHEN | OUTDOOR | HEAVY TRAFFIC



QL - 1224951



QL - 1224952



QL - 1224953


- Wood Surface
- Grout Recommended
- High Definition Printing
- Random Design

URBANE
TILE + STONE



tiles shown: deckwood beige

- Wood Surface
- Grout Recommended
- High Definition Printing
- Random Design



tiles shown: deckwood walnut

WOODPLANK
200 x 1000 mm
WOODEN TILES

URBANE
TILE + STONE



tiles shown: deckwood teak

WOODPLANK

200 x 1000 mm
WOODEN TILES

LIVING | BATHROOMS | KITCHEN | OUTDOOR | HEAVY TRAFFIC



DECKWOOD BEIGE



DECKWOOD WALNUT



DECKWOOD TEAK

- Wood Surface
- Grout Recommended
- High Definition Printing
- Random Design

URBANE
TILE + STONE



tiles shown: haggerty bricks

WOODPLANK
200 x 1000 mm
WOODEN TILES



HAGGERTY BRICKS

- Wood Surface
- Grout Recommended
- High Definition Printing
- Random Design

URBANE
TILE + STONE

tiles shown: PS - 21081



WOODPLANK
200 x 1000 mm
WOODEN TILES

- Wood Surface
- Grout Recommended
- High Definition Printing
- Random Design



tiles shown: PS - 21081



tiles shown: P5 - 21084

WOODPLANK
200 x 1000 mm
WOODEN TILES

LIVING | BATHROOMS | KITCHEN | OUTDOOR | HEAVY TRAFFIC



P5-21081



P5-21082



P5-21084

- Wood Surface
- Grout Recommended
- High Definition Printing
- Random Design

URBANE
TILE + STONE



tiles shown: M5 - 60245

URBANE
TILE + STONE

LIVING | BATHROOMS | KITCHEN | OUTDOOR | HEAVY TRAFFIC

- Wood Surface
- Grout Recommended
- High Definition Printing
- Random Design

WOODPLANK
200 x 1000 mm
WOODEN TILES

tiles shown: M5 - 60246





tiles shown: M5 - 60247

WOODPLANK
200 x 1000 mm
WOODEN TILES

LIVING | BATHROOMS | KITCHEN | OUTDOOR | HEAVY TRAFFIC



M5-60245



M5-60246



M5-60247

- Wood Surface
- Grout Recommended
- High Definition Printing
- Random Design

URBANE
TILE + STONE



files shown: 21083

WOODPLANK
200 x 1000 mm
WOODEN TILES

LIVING | BATHROOMS | KITCHEN | OUTDOOR | HEAVY TRAFFIC



21083

- Wood Surface
- Grout Recommended
- High Definition Printing
- Random Design

URBANE
TILE + STONE



URBANE
TILE + STONE

WOODPLANK
200 x 1000 mm
WOODEN TILES

TECHNICAL DETAILS

Sr. No.	Pictogram	Property	International Std. ISO 13006/ EN 126 Group	Tiles Value	Method of Testing
1.		Deviation in length	+/- 0.6%	+/- 0.3%	ISO 10545 Pt 2
2.		Deviation in thickness	+/- 5%	+/- 3%	ISO 10545 Pt 2
3.		Straightness of side	+/- 0.5%	+/- 0.1%	ISO 10545 Pt 2
4.		Rectangularity	+/- 0.6%	+/- 0.2%	ISO 10545 Pt 2
5.		Surface flatness	+/- 0.5%	+/- 0.2%	ISO 10545 Pt 2
6.		Water absorption	+2.4%	+2.4%	ISO 10545 Pt 3
7.		Moh's Hardness	>6	>6	EN 101
8.		Flexural strength	>35N/mm ²	>46/mm ²	ISO 10545 Pt 4
9.		Abrasion resistance	<175 mm ³	<148 mm ³	ISO 10545 Pt 6
10.		Slip resistance (Friction coefficient)	>0.4	>0.4	ISO 10545 Pt 17
11.		Breaking strength	1113 N	2800 N	ISO 10545 Pt 4
12.		Frost resistance	Frost Proof	Frost Proof	ISO 10545 Pt 12
13.		Chemical resistance	No Damage	No Damage	ISO 10545 Pt 13
14.		Thermal shock resistance	No Damage	No Damage	ISO 10545 Pt 9
15.		Colour resistance	No Damage	No Damage	DIN 11694
16.		Stain resistance	Resistance	Resistance	ISO 10545-14
17.		Moisture expansion	Nill	Nill	ISO 10545-10
18.		Glossiness		Min. 80 reflection	Glossometer
19.		Resistance to surface abrasion (Tiles intended for use on floors) ^{***}	Abrasion class shall be specified by manufacturer	PEI Group V	ISO 10545-7 IS:15630-11

PACKING DETAILS

Sr. No.	Size	No. Of Tiles Per Box	Coverage Area In Sq. Feet	Apprx. Weight / Box
1.	200 x 1000 mm	5 Pcs.	+/- 0.3%	22.5 kg

DISCLAIMER : Wooden Tiles reserves the right to delete & amend either totally or partially any of the colors, shapes, sizes, references and other technical specifications contained in this catalogue at anytime. The colors shown of tiles in this catalogue are purely illustrative and limited to printing process, please refer actual sample before final selection, the details of uses, colors, references should be verified for typographical errors.

APPLICATION



LAYING INSTRUCTION

TILES FIXING INSTRUCTION

- All the tiles must be checked prior to laying for quality, thickness and colour.
- Plaster the surface of the floor to be tiled and allow curing atleast two weeks before tiling.
- While laying pick tiles from various boxes alternatively, lay them in the desired pattern and make sure that they give an acceptable blend of colour and design, please note that shade variation is inherent in manufacturing tiles.
- For fixing tiles we recommend to use the tiles adhesives or equivalent product for the best result.
- For laying tiles in floor using conventional method, we suggest the following laying instructions:
 - use cement and sand mortar in the ratio 1:6 Add water to create a consistent paste.
 - Apply 20-25mm of bedding materials over the floor area of 1.05g. ML at a time.
 - Apply a thin coat of the浆 on the back of the tile to ensure proper and full bedding. Press gently for even adherence of the tiles with surface.
 - Do not use any heavy materials like iron or hammer to press tile.
- For laying the tiles on Dado, we recommend the use of adhesive or equivalent materials.
- Above 3-4 days of bed curing after laying tiles and later fill the joint with grout.
- We recommend maintaining a joint gap of 1-2 mm between the tiles to allow possible thermal expansion at later usage.

DISCLAIMER : Wooden Tiles reserves the right to delete and amend either totally or partially any of the colors, shapes, sizes, references and other technical specifications contained in this catalogue at any time. The colors shown in this catalogue are purely illustrative and limited to printing process. Please refer actual sample before final selection, the details of uses, colors, references should be verified for typographical errors. SHADE & SIZE VARIATION are inherent characteristics of wooden NO COMPLAINTS SHALL BE SUBMITTED ON TILE ALREADY PAINTED.

Helpful tips for better aesthetics look (Laying Instructions)

- For better aesthetic value and for long term, guarantee use it is strongly recommended to provide 3 mm space in between the tiles. Without spacer harmony of tiles might be disturbed.
- Note sure that the design, pattern and the arrow marked on the back side of tiles must be in the same direction.
- Any product from doope must be installed laid in the same format i.e. 200x100mm size, for that particular series customized size application is not possible.
- * THE COMPANY SHALL NOT BEAR ANY LIABILITY FOR THE PROBLEMS OUT OF NON FULFILLMENT OF LAYING THE INSTRUCTIONS AS ABOVE.

Wood Plank Tile : Demo & Installation



Wood Plank Tile : Unrectified



NOTES

- All technical specifications in this catalogue are for previous grade materials only.
- SHADE & SIZE VARIATION are inherent characteristics of wooden. Certain Project may possibly have variation that are the part of design and process. The same have been indicated.
- It is recommended to install tiles by leaving tiles from outside tiles and check for flatness. True flatness.
- Company's liability is also limited to the material supplied by the company no other claim is entertained under any circumstances.
- No complaint shall be entertained regarding the dissolution of tiles.